

# KEL-DPZ multi-membrane cable entry plates

with high cable density / up to IP66 / UL Type 12



KEL-DPZ cable entry plates are designed to route and seal a large number of cables without connectors, hoses or fibre optics (from 1.5 mm to 22 mm in diameter) in limited space.

The KEL-DPZ products are a cost and time saving alternative to traditional cable glands.

The assembly of the KEL-DPZ with unterminated cables or pneumatic hoses can be done quickly and easily. Simply make a small hole in the thin membrane, push the cables through. The KEL-DPZ provides strain relief and protection up to IP66 / UL type 12.

The KEL-DPZ matches exactly the cut-out dimensions of 6-, 10-, 16- and 24-pin standard industrial connectors. The size KEL-DPZ-B fits on cut-outs 46 x 46 mm. The very compact size KEL-DPZ-E is designed for routing cables in very small spaces. Through a cut-out of only 18 x 112 mm, up to 21 cables can be easily routed and sealed.

Especially for Rittal KL / KX terminal boxes the size KEL-DPZ-KX/KL (IP65) was created. It was designed for routing up to 72 cables through the pre-cut standard cut-out. The self-tapping screws required for assembly are included in the scope of delivery.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.

**It is also possible to integrate threaded bushings (except KEL-DPZ 6 / KEL-DPZ-KX/KL). Please ask us about your desired variant.**

The version with threaded bushings enables the cable entry plate to be screwed onto the housing from the inside out. This protects against vandalism and tampering with the housing from the outside.

IP54



IP55



IP64



RoHS compliant

IP65



IP66



Made in Germany



## Specifications


<b>IP rating (EN 60529)</b>	IP54, IP55, IP64, IP65, IP66
<b>UL Type (UL 50E)</b>	UL Type 12
<b>Material</b>	Elastomer Base frame: Polyamide Base frame: Stainless steel (V2A)
<b>Flame class</b>	UL94-V0, self-extinguishing
<b>Operating temperature</b>	-40 C° to 100 C°
<b>Properties</b>	silicone free, halogen free
<b>Mounting options</b>	Screw type mounting

## Advantages & benefits


- Fast mounting
- High cable density
- Certified protection up to IP66 (acc. to EN 60529)
- Automatic sealing and strain relief for the cable
- Hygienic design - free of dirt-collecting recesses
- Space-saving shape

## Product types & sizes

### KEL-DPZ 24|14 gy




Part No.	<b>43700</b>	Width	<b>58 mm</b>
EAN	<b>4251269310461</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>14</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>22 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b> <b>4 x 16 - 22 mm</b>

**KEL-DPZ 24|14 bk**


Part No. **50700**  
 EAN **4251269315084**  
 Package quantity **10**  
 For max. no. of cables **14**  
 Max. cable diameter **22 mm**  
 Colour **black**  
 Length **147 mm**

Width **58 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 Cut-out size **112 x 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,9 mm**  
 Clamping range **10 x 3.2 - 6.5 mm**  
**4 x 16 - 22 mm**

**KEL-DPZ 24|15 gy**


Part No. **43720**  
 EAN **4251269310508**  
 Package quantity **10**  
 For max. no. of cables **15**  
 Max. cable diameter **12 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **147 mm**

Width **58 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 Cut-out size **112 x 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,9 mm**  
 Clamping range **15 x 7.2 - 12 mm**

**KEL-DPZ 24|15 bk**


Part No. **50720**  
 EAN **4251269315121**  
 Package quantity **10**  
 For max. no. of cables **15**  
 Max. cable diameter **12 mm**  
 Colour **black**  
 Length **147 mm**

Width **58 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 Cut-out size **112 x 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,9 mm**  
 Clamping range **15 x 7.2 - 12 mm**

**KEL-DPZ 24|16 gy**


Part No. **43725**  
 EAN **4251269310515**  
 Package quantity **10**  
 For max. no. of cables **16**  
 Max. cable diameter **22 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **147 mm**

Width **58 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 Cut-out size **112 x 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,9 mm**  
 Clamping range **8 x 3.2 - 6.5 mm**  
**4 x 5 - 9.7 mm**  
**2 x 9 - 16.2 mm**  
**2 x 16 - 22 mm**

**KEL-DPZ 24|16 bk**


Part No. **50725**  
 EAN **4251269315138**  
 Package quantity **10**  
 For max. no. of cables **16**  
 Max. cable diameter **22 mm**  
 Colour **black**  
 Length **147 mm**

Width **58 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 Cut-out size **112 x 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,9 mm**  
 Clamping range **8 x 3.2 - 6.5 mm**  
**4 x 5 - 9.7 mm**  
**2 x 9 - 16.2 mm**  
**2 x 16 - 22 mm**

**KEL-DPZ 24|17 gy**

Part No. **43705**  
 EAN **4251269310478**  
 Package quantity **10**  
 For max. no. of cables **17**  
 Max. cable diameter **16,2 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **147 mm**

Width **58 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 Cut-out size **112 x 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,9 mm**  
 Clamping range **6 x 3.2 - 6.5 mm**  
**6 x 5 - 10.2 mm**  
**5 x 9 - 16.2 mm**


**KEL-DPZ 24|17 bk**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**50705**  
**4251269315091**  
**10**  
**17**  
**16,2 mm**  
**black**  
**147 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**58 mm**  
**14 mm**  
**14 mm**  
**112 x 36 mm**  
**4**  
**5,9 mm**  
**6 x 3.2 - 6.5 mm**  
**6 x 5 - 10.2 mm**  
**5 x 9 - 16.2 mm**


**KEL-DPZ 24|25 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**43710**  
**4251269310485**  
**10**  
**25**  
**12 mm**  
**grey (similar RAL 7035)**  
**147 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**58 mm**  
**14 mm**  
**14 mm**  
**112 x 36 mm**  
**4**  
**5,9 mm**  
**12 x 3.2 - 6.5 mm**  
**7 x 4.8 - 9.7 mm**  
**6 x 7.5 - 12 mm**


**KEL-DPZ 24|25 bk**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**50710**  
**4251269315107**  
**10**  
**25**  
**12 mm**  
**black**  
**147 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**58 mm**  
**14 mm**  
**14 mm**  
**112 x 36 mm**  
**4**  
**5,9 mm**  
**12 x 3.2 - 6.5 mm**  
**7 x 4.8 - 9.7 mm**  
**6 x 7.5 - 12 mm**


**KEL-DPZ 24|26 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**43711**  
**4251269321498**  
**10**  
**26**  
**10,2 mm**  
**grey (similar RAL 7035)**  
**147 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**58 mm**  
**14 mm**  
**14 mm**  
**112 x 36 mm**  
**4**  
**5,9 mm**  
**26 x 5 - 10.2 mm**


**KEL-DPZ 24|26 bk**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**50711**  
**4251269321504**  
**10**  
**26**  
**10,2 mm**  
**black**  
**147 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**58 mm**  
**14 mm**  
**14 mm**  
**112 x 36 mm**  
**4**  
**5,9 mm**  
**26 x 5 - 10.2 mm**


**KEL-DPZ 24|32 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**43730**  
**4251269310522**  
**10**  
**32**  
**12 mm**  
**grey (similar RAL 7035)**  
**147 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**58 mm**  
**14 mm**  
**14 mm**  
**112 x 36 mm**  
**4**  
**5,9 mm**  
**21 x 3.2 - 6.5 mm**  
**8 x 5 - 10.2 mm**  
**3 x 7.5 - 12 mm**

**KEL-DPZ 24|32 bk**


Part No.	<b>50730</b>	Width	<b>58 mm</b>
EAN	<b>4251269315145</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>32</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>21 x 3.2 - 6.5 mm</b> <b>8 x 5 - 10.2 mm</b> <b>3 x 7.5 - 12 mm</b>

**KEL-DPZ 24|42 gy**


Part No.	<b>43715</b>	Width	<b>58 mm</b>
EAN	<b>4251269310492</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>42</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>42 x 3.2 - 6.5 mm</b>

**KEL-DPZ 24|42 bk**


Part No.	<b>50715</b>	Width	<b>58 mm</b>
EAN	<b>4251269315114</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>42</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>42 x 3.2 - 6.5 mm</b>

**KEL-DPZ 24|121 gy**


Part No.	<b>43735</b>	Width	<b>58 mm</b>
EAN	<b>4251269310560</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>121</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>119 x 1.5 - 2.6 mm</b> <b>2 x 2.5 - 5 mm</b>

**KEL-DPZ 24|121 bk**


Part No.	<b>50735</b>	Width	<b>58 mm</b>
EAN	<b>4251269315183</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>121</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>119 x 1.5 - 2.6 mm</b> <b>2 x 2.5 - 5 mm</b>

**KEL-DPZ 16|11 gy**


Part No.	<b>43815</b>	Width	<b>58 mm</b>
EAN	<b>4251269320507</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>11</b>	Cut-out size	<b>86 × 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>120 mm</b>	Clamping range	<b>11 x 7.5 - 12 mm</b>

**KEL-DPZ 16|14 gy**

Part No.	<b>43816</b>	Width	<b>58 mm</b>
EAN	<b>4251269320514</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>14</b>	Cut-out size	<b>86 × 36 mm</b>
Max. cable diameter	<b>16,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>120 mm</b>	Clamping range	<b>5 x 3.2 - 6.5 mm</b> <b>5 x 5 - 10.2 mm</b> <b>4 x 9 - 16.2 mm</b>

**KEL-DPZ 16|20 gy**


Part No.	<b>43817</b>	Width	<b>58 mm</b>
EAN	<b>4251269320521</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>20</b>	Cut-out size	<b>86 × 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>120 mm</b>	Clamping range	<b>11 x 3.2 - 6.5 mm</b> <b>5 x 5 - 10.2 mm</b> <b>4 x 7.5 - 12 mm</b>

**KEL-DPZ 16|25 gy**


Part No.	<b>43818</b>	Width	<b>58 mm</b>
EAN	<b>4251269320538</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>25</b>	Cut-out size	<b>86 × 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>120 mm</b>	Clamping range	<b>16 x 3.2 - 6.5 mm</b> <b>6 x 5 - 10.2 mm</b> <b>3 x 7.5 - 12 mm</b>

**KEL-DPZ 16|34 gy**


Part No.	<b>43819</b>	Width	<b>58 mm</b>
EAN	<b>4251269320545</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>34</b>	Cut-out size	<b>86 × 36 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>120 mm</b>	Clamping range	<b>34 x 3.2 - 6.5 mm</b>

**KEL-DPZ 10|8 gy**

Part No.	<b>43800</b>	Width	<b>58 mm</b>
EAN	<b>4251269324086</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>8</b>	Cut-out size	<b>65 × 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>98,3 mm</b>	Clamping range	<b>8 x 7.5 - 12 mm</b>

**KEL-DPZ 10|14 gy**

Part No.	<b>43801</b>	Width	<b>58 mm</b>
EAN	<b>4251269324093</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>14</b>	Cut-out size	<b>65 × 36 mm</b>
Max. cable diameter	<b>10,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>98,3 mm</b>	Clamping range	<b>14 x 5 - 10.2 mm</b>


**KEL-DPZ 10|15 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**43802**  
**4251269324109**  
**10**  
**15**  
**10,2 mm**  
**grey (similar RAL 7035)**  
**98,3 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**58 mm**  
**14 mm**  
**14 mm**  
**65 × 36 mm**  
**4**  
**5,8 mm**  
**5 × 3.2 - 6.5 mm**  
**10 × 5 - 10.2 mm**


**KEL-DPZ 10|16 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**43803**  
**4251269324116**  
**10**  
**16**  
**12 mm**  
**grey (similar RAL 7035)**  
**98,3 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**58 mm**  
**14 mm**  
**14 mm**  
**65 × 36 mm**  
**4**  
**5,8 mm**  
**9 × 3.2 - 6.5 mm**  
**4 × 5 - 10.2 mm**  
**3 × 7.5 - 12 mm**


**KEL-DPZ 10|26 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**43804**  
**4251269324123**  
**10**  
**26**  
**6,5 mm**  
**grey (similar RAL 7035)**  
**98,3 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**58 mm**  
**14 mm**  
**14 mm**  
**65 × 36 mm**  
**4**  
**5,8 mm**  
**26 × 3.2 - 6.5 mm**


**KEL-DPZ 6|12 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**43809**  
**4251269321061**  
**10**  
**12**  
**8 mm**  
**grey (similar RAL 7035)**  
**85,5 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**54 mm**  
**7,5 mm**  
**7,5 mm**  
**52 × 36 mm**  
**4**  
**4,5**  
**12 × 4.5 - 8 mm**


**KEL-DPZ 6|18 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**43812**  
**4251269321030**  
**10**  
**18**  
**6,5 mm**  
**grey (similar RAL 7035)**  
**85,5 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**54 mm**  
**7,5 mm**  
**7,5 mm**  
**52 × 36 mm**  
**4**  
**4,5**  
**18 × 3.2 - 6.5 mm**


**KEL-DPZ 6|18-1 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length


**43811**  
**4251269321023**  
**10**  
**18**  
**8 mm**  
**grey (similar RAL 7035)**  
**85,5 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range


**54 mm**  
**7,5 mm**  
**7,5 mm**  
**52 × 36 mm**  
**4**  
**4,5**  
**6 × 2.5 - 5 mm**  
**5 × 3.2 - 6.5 mm**  
**7 × 4.5 - 8 mm**

**KEL-DPZ 6|23 gy**


Part No.	<b>43813</b>	Width	<b>54 mm</b>
EAN	<b>4251269321047</b>	Height	<b>7,5 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>7,5 mm</b>
For max. no. of cables	<b>23</b>	Cut-out size	<b>52 x 36 mm</b>
Max. cable diameter	<b>5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>4,5</b>
Length	<b>85,5 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b> <b>13 x 2.5 - 5 mm</b>

**KEL-DPZ 6|27 gy**


Part No.	<b>43814</b>	Width	<b>54 mm</b>
EAN	<b>4251269321054</b>	Height	<b>7,5 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>7,5 mm</b>
For max. no. of cables	<b>27</b>	Cut-out size	<b>52 x 36 mm</b>
Max. cable diameter	<b>5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>4,5</b>
Length	<b>85,5 mm</b>	Clamping range	<b>27 x 2.5 - 5 mm</b>

**KEL-DPZ-B 13 gy**


Part No.	<b>43794</b>	Width	<b>58 mm</b>
EAN	<b>4251269310690</b>	Height	<b>10 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>10 mm</b>
For max. no. of cables	<b>13</b>	Cut-out size	<b>46 x 46 mm</b>
Max. cable diameter	<b>22 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,7 mm</b>
Length	<b>72,8 mm</b>	Clamping range	<b>8 x 3.2 - 6.5 mm</b> <b>4 x 5 - 10.2 mm</b> <b>1 x 16 - 22 mm</b>

**KEL-DPZ-B 13 bk**


Part No.	<b>50794</b>	Width	<b>58 mm</b>
EAN	<b>4251269315312</b>	Height	<b>10 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>10 mm</b>
For max. no. of cables	<b>13</b>	Cut-out size	<b>46 x 46 mm</b>
Max. cable diameter	<b>22 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,7 mm</b>
Length	<b>72,8 mm</b>	Clamping range	<b>8 x 3.2 - 6.5 mm</b> <b>4 x 5 - 10.2 mm</b> <b>1 x 16 - 22 mm</b>

**KEL-DPZ-B 17 gy**


Part No.	<b>43796</b>	Width	<b>58 mm</b>
EAN	<b>4251269310706</b>	Height	<b>10 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>10 mm</b>
For max. no. of cables	<b>17</b>	Cut-out size	<b>46 x 46 mm</b>
Max. cable diameter	<b>16,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,7 mm</b>
Length	<b>72,8 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b> <b>4 x 5 - 10.2 mm</b> <b>2 x 7.5 - 12 mm</b> <b>1 x 9 - 16.2 mm</b>

**KEL-DPZ-B 17 bk**

Part No.	<b>50796</b>	Width	<b>58 mm</b>
EAN	<b>4251269315329</b>	Height	<b>10 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>10 mm</b>
For max. no. of cables	<b>17</b>	Cut-out size	<b>46 x 46 mm</b>
Max. cable diameter	<b>16,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,7 mm</b>
Length	<b>72,8 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b> <b>4 x 5 - 10.2 mm</b> <b>2 x 7.5 - 12 mm</b> <b>1 x 9 - 16.2 mm</b>

**KEL-DPZ-B 25 gy**

Part No.	<b>43798</b>	Width	<b>58 mm</b>
EAN	<b>4251269310713</b>	Height	<b>10 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>10 mm</b>
For max. no. of cables	<b>25</b>	Cut-out size	<b>46 x 46 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,7 mm</b>
Length	<b>72,8 mm</b>	Clamping range	<b>25 x 3.2 - 6.5 mm</b>

**KEL-DPZ-B 25 bk**


Part No.	<b>50798</b>	Width	<b>58 mm</b>
EAN	<b>4251269315336</b>	Height	<b>10 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>10 mm</b>
For max. no. of cables	<b>25</b>	Cut-out size	<b>46 x 46 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,7 mm</b>
Length	<b>72,8 mm</b>	Clamping range	<b>25 x 3.2 - 6.5 mm</b>

**KEL-DPZ-E 112|7 gy**

Part No.	<b>43780</b>	Width	<b>29 mm</b>
EAN	<b>4251269310676</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>7</b>	No. of screw holes	<b>2</b>
Max. cable diameter	<b>12 mm</b>	Diam. of screw holes	<b>5,7 mm</b>
Colour	<b>grey (similar RAL 7035)</b>	Clamping range	<b>7 x 7.5 - 12 mm</b>
Length	<b>147 mm</b>		

**KEL-DPZ-E 112|7 bk**

Part No.	<b>50780</b>	Width	<b>29 mm</b>
EAN	<b>4251269315299</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>7</b>	No. of screw holes	<b>2</b>
Max. cable diameter	<b>12 mm</b>	Diam. of screw holes	<b>5,7 mm</b>
Colour	<b>black</b>	Clamping range	<b>7 x 7.5 - 12 mm</b>
Length	<b>147 mm</b>		


**KEL-DPZ-E 112|21 gy**

Part No.	<b>43790</b>	Width	<b>29 mm</b>
EAN	<b>4251269310683</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>21</b>	No. of screw holes	<b>2</b>
Max. cable diameter	<b>6,5 mm</b>	Diam. of screw holes	<b>5,7 mm</b>
Colour	<b>grey (similar RAL 7035)</b>	Clamping range	<b>21 x 3.2 - 6.5 mm</b>
Length	<b>147 mm</b>		




**KEL-DPZ-E 112|21 bk**


Part No.	<b>50790</b>	Width	<b>29 mm</b>
EAN	<b>4251269315305</b>	Height	<b>14 mm</b>
Package quantity	<b>10</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>21</b>	No. of screw holes	<b>2</b>
Max. cable diameter	<b>6,5 mm</b>	Diam. of screw holes	<b>5,7 mm</b>
Colour	<b>black</b>	Clamping range	<b>21 x 3.2 - 6.5 mm</b>
Length	<b>147 mm</b>		

**KEL-DPZ-KX/KL 24 gy**


Part No.	<b>43682</b>	Width	<b>90 mm</b>
EAN	<b>4251269334719</b>	Height	<b>4 mm</b>
Package quantity	<b>1</b>	Mounting height	<b>4 mm</b>
For max. no. of cables	<b>24</b>	Cut-out size	<b>192 x 62 mm</b>
Max. cable diameter	<b>26 mm</b>	No. of screw holes	<b>6</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,1 mm</b>
Length	<b>221 mm</b>	Clamping range	<b>1 x 4 - 7.5 mm</b> <b>18 x 10 - 17 mm</b> <b>3 x 15 - 20 mm</b> <b>2 x 21 - 26 mm</b>

**KEL-DPZ-KX/KL 39 gy**


Part No.	<b>43684</b>	Width	<b>90 mm</b>
EAN	<b>4251269334733</b>	Height	<b>4 mm</b>
Package quantity	<b>1</b>	Mounting height	<b>4 mm</b>
For max. no. of cables	<b>39</b>	Cut-out size	<b>192 x 62 mm</b>
Max. cable diameter	<b>26 mm</b>	No. of screw holes	<b>6</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,1 mm</b>
Length	<b>221 mm</b>	Clamping range	<b>14 x 3.2 - 6.5 mm</b> <b>1 x 4 - 7.5 mm</b> <b>7 x 5 - 10.2 mm</b> <b>2 x 9 - 16.2 mm</b> <b>9 x 10 - 17 mm</b> <b>3 x 15 - 20 mm</b> <b>1 x 16 - 22 mm</b> <b>2 x 21 - 26 mm</b>

**KEL-DPZ-KX/KL 42 gy**


Part No.	<b>43686</b>	Width	<b>90 mm</b>
EAN	<b>4251269334757</b>	Height	<b>4 mm</b>
Package quantity	<b>1</b>	Mounting height	<b>4 mm</b>
For max. no. of cables	<b>42</b>	Cut-out size	<b>192 x 62 mm</b>
Max. cable diameter	<b>22 mm</b>	No. of screw holes	<b>6</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,1 mm</b>
Length	<b>221 mm</b>	Clamping range	<b>14 x 3.2 - 6.5 mm</b> <b>7 x 5 - 10.2 mm</b> <b>2 x 9 - 16.2 mm</b> <b>18 x 10 - 17 mm</b> <b>1 x 16 - 22 mm</b>

**KEL-DPZ-KX/KL 54 gy**


Part No.	<b>43683</b>	Width	<b>90 mm</b>
EAN	<b>4251269334726</b>	Height	<b>4 mm</b>
Package quantity	<b>1</b>	Mounting height	<b>4 mm</b>
For max. no. of cables	<b>54</b>	Cut-out size	<b>192 x 62 mm</b>
Max. cable diameter	<b>26 mm</b>	No. of screw holes	<b>6</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,1 mm</b>
Length	<b>221 mm</b>	Clamping range	<b>28 x 3.2 - 6.5 mm</b> <b>1 x 4 - 7.5 mm</b> <b>14 x 5 - 10.2 mm</b> <b>4 x 9 - 16.2 mm</b> <b>2 x 15 - 20 mm</b> <b>2 x 16 - 22 mm</b> <b>2 x 21 - 26 mm</b>

**KEL-DPZ-KX/KL 57 gy**

Part No.	<b>43685</b>	Width	<b>90 mm</b>
EAN	<b>4251269334740</b>	Height	<b>4 mm</b>
Package quantity	<b>1</b>	Mounting height	<b>4 mm</b>
For max. no. of cables	<b>57</b>	Cut-out size	<b>192 x 62 mm</b>
Max. cable diameter	<b>22 mm</b>	No. of screw holes	<b>6</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,1 mm</b>
Length	<b>221 mm</b>	Clamping range	<b>28 x 3.2 - 6.5 mm</b>
			<b>14 x 5 - 10.2 mm</b>
			<b>4 x 9 - 16.2 mm</b>
			<b>9 x 10 - 17 mm</b>
			<b>2 x 16 - 22 mm</b>

**KEL-DPZ-KX/KL 72 gy**

Part No.	<b>43675.001</b>	Width	<b>90 mm</b>
EAN	<b>4251269310447</b>	Height	<b>4 mm</b>
Package quantity	<b>1</b>	Mounting height	<b>4 mm</b>
For max. no. of cables	<b>72</b>	Cut-out size	<b>192 x 62 mm</b>
Max. cable diameter	<b>22 mm</b>	No. of screw holes	<b>6</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,1 mm</b>
Length	<b>221 mm</b>	Clamping range	<b>42 x 3.2 - 6.5 mm</b>
			<b>21 x 5 - 10.2 mm</b>
			<b>6 x 9 - 16.2 mm</b>
			<b>3 x 16 - 22 mm</b>

**KEL-DPZ-KX/KL 72 bk**

Part No.	<b>43675.101</b>	Width	<b>90 mm</b>
EAN	<b>4251269310454</b>	Height	<b>4 mm</b>
Package quantity	<b>1</b>	Mounting height	<b>4 mm</b>
For max. no. of cables	<b>72</b>	Cut-out size	<b>192 x 62 mm</b>
Max. cable diameter	<b>22 mm</b>	No. of screw holes	<b>6</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,1 mm</b>
Length	<b>221 mm</b>	Clamping range	<b>42 x 3.2 - 6.5 mm</b>
			<b>21 x 5 - 10.2 mm</b>
			<b>6 x 9 - 16.2 mm</b>
			<b>3 x 16 - 22 mm</b>