


KDR-ESR 0000 0000 00 0000 00000

Rittal, nVent Hoffman & Häwa 000000 / IP54



KDR-ESR 000 0000 0000 000000. KEL 0000 0000 0000 00 00 00000 00000 00000 00000.

KEL 00000 000000 0000 0 00000 00000 00 00 00000. 00000 0000 0000 KEL 00000 0 0 00000. KDR-ESR 000 KEL 0000 0 00000 0 00 00000 00000 0 0000 **BPK-SNAP** 00000000000000000000.

KDRS 000: 00 00 00000 0000 00000 0000 0 000.

IP54

HL3
EN 45545-2

RoHS
compliant

REACH
COMPLIANT

Made in
Germany

IP 0000 (EN 60529)	IP54
	0000 00000-0 ESR 000000000
	UL94-V0, 000000
	-40 C° to 90 C°
	0000 00, 000000
000 00	000 0000

000 0 000

- 0000 00 0 000
- 00000 00 0000 0000 0000 0000 0 000
- 0 00000 00000 00 0000 0 000
- 00 00 710
- 07100 00 0000 00 000


000 000 0 000

KDR-ESR-VX25-600-44500



EAN	44500	00000 00	488 mm
	4251269319754	00 0000 00	600 mm
	1	00000 00	452 mm
000000 00	Rittal VX25	00 :	2 × KEL-U 24 / KEL-QUICK 24
	488 mm		
	100 mm		
	43 mm		

KDR-ESR-VX25-600-44501



EAN

□□□□□ □□

44501

4251269319761

1

Rittal VX25

488 mm

120 mm

57 mm

□□□□ □□

□□ □□□ □□

□□ :


488 mm

600 mm

452 mm

1 × KEL-U 24 / KEL-QUICK 24, 1 × KEL-JUMBO 2

KDR-ESR-VX25-600-44502



EAN

□□□□□ □□

44502

4251269319778

1

Rittal VX25

488 mm

120 mm

57 mm

□□□□ □□

□□ □□□ □□

□□ :


488 mm

600 mm

452 mm

2 × KEL-U 16 / KEL-QUICK 16, 1 × KEL-JUMBO 1

KDRS-ESR-VX25-600-44512



EAN

□□□□□ □□

44512

4251269321108

1

Rittal VX25

488 mm

75 mm

44 mm

□□□□ □□

□□ □□□ □□

□□ :

488 mm

600 mm

452 mm

2 × KEL-U 24 / KEL-QUICK 24

KDR-ESR-VX25-800-44503



EAN

□□□□ □□

44503

4251269319785

1

Rittal VX25

688 mm

100 mm

43 mm

□□□□ □□

□□ □□ □□

□□ :

688 mm

800 mm

652 mm


3 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

U 16 / KEL-QUICK

16

KDR-ESR-VX25-800-44504



EAN

□□□□ □□

44504

4251269319792

1

Rittal VX25

688 mm

120 mm

57 mm

□□□□ □□

□□ □□ □□

□□ :

688 mm

800 mm

652 mm

2 × KEL-U 24 / KEL-


QUICK 24, 1 × KEL-

U 16 / KEL-QUICK

16, 1 × KEL-JUMBO

1

KDR-ESR-VX25-800-44505



EAN

□□□□ □□

44505

4251269319808

1

Rittal VX25

688 mm

120 mm

57 mm

□□□□ □□

□□ □□ □□

□□ :

688 mm

800 mm


652 mm

2 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 2

KDRS-ESR-VX25-800-44513



EAN

□□□□□ □□

44513

4251269321115

1

Rittal VX25

688 mm

75 mm

43 mm

□□□□ □□

□□ □□□ □□

□□ :

688 mm

800 mm

652 mm

3 × KEL-U 24 / KEL-

QUICK 24

KDR-ESR-VX25-1000-44506



EAN

□□□□□ □□

44506

4251269319815

1

Rittal VX25

438 mm

100 mm

43 mm

□□□□ □□

□□ □□□ □□

□□ :

438 mm


1.000 mm

402 mm

2 × KEL-U 24 / KEL-

QUICK 24

KDR-ESR-VX25-1000-44507



EAN

□□□□□ □□

44507

4251269319822

1

Rittal VX25

438 mm

120 mm

57 mm

□□□□ □□

□□ □□□ □□

□□ :

438 mm

1.000 mm


402 mm

1 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 1

KDR-ESR-VX25-1000-44508



EAN

□□□□□ □□

44508

4251269319839

1

Rittal VX25

438 mm

120 mm

57 mm

□□□□ □□

□□ □□□ □□

□□ :

438 mm

1.000 mm


402 mm

1 × KEL-U 16 / KEL-

QUICK 16, 1 × KEL-

JUMBO 2

KDRS-ESR-VX25-1000-44514



EAN

□□□□□ □□

44514

4251269321122

1

Rittal VX25

438 mm

75 mm

44 mm

□□□□ □□

□□ □□□ □□

□□ :

438 mm

1.000 mm

402 mm

2 × KEL-U 24 / KEL-

QUICK 24

KDR-ESR-VX25-1200-44509



EAN

□□□□□ □□

44509

4251269319846

1

Rittal VX25

538 mm

100 mm

43 mm

□□□□ □□

□□ □□□ □□

□□ :

538 mm


1.200 mm

502 mm

3 × KEL-U 24 / KEL-

QUICK 24

KDR-ESR-VX25-1200-44510



EAN

□□□□□ □□

44510

4251269319853

1

Rittal VX25

538 mm

120 mm

57 mm

□□□□ □□

□□ □□□ □□

□□ :

538 mm

1.200 mm

502 mm

1 × KEL-U 24 / KEL-


QUICK 24, 1 × KEL-

U 16 / KEL-QUICK

16, 1 × KEL-JUMBO

1

KDR-ESR-VX25-1200-44511



EAN

□□□□□ □□

44511

4251269319860

1

Rittal VX25

538 mm

120 mm

57 mm

□□□□ □□

□□ □□□ □□

□□ :

538 mm

1.200 mm

502 mm

1 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 2

1

KDRS-ESR-VX25-1200-44515



EAN

□□□□□ □□

44515

4251269321139

1

Rittal VX25

538 mm

75 mm

44 mm

□□□□ □□

□□ □□□ □□

□□ :

538 mm

1.200 mm

502 mm

3 × KEL-U 24 / KEL-

QUICK 24

1

KDR-ESR-TS8-600-43070

EAN

□□□□ □□

43070

4251269309519

1

Rittal TS 8

458 mm

150 mm

57 mm

□□□□ □□

□□ □□□ □□

□□ :

458 mm


600 mm

435 mm

1 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 2



KDR-ESR-TS8-600-43071

EAN

□□□□ □□

43071

4251269309526

1

Rittal TS 8

458 mm

150 mm

57 mm

□□□□ □□

□□ □□□ □□

□□ :

458 mm


600 mm

435 mm

2 × KEL-U 16 / KEL-

QUICK 16, 1 × KEL-

JUMBO 1



KDR-ESR-TS8-600-43079

EAN

□□□□ □□

43079

4251269309601

1

Rittal TS 8

458 mm

100 mm

44 mm

□□□□ □□

□□ □□□ □□

□□ :


458 mm

600 mm

435 mm

2 × KEL-U 24 / KEL-

QUICK 24



KDR-ESR-TS8-800-43072

EAN

□□□□ □□

43072

4251269309533

1

Rittal TS 8

658 mm

150 mm

57 mm

□□□□ □□

□□ □□ □□

□□ :

658 mm


800 mm

635 mm

3 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 1



KDR-ESR-TS8-800-43073

EAN

□□□□ □□

43073

4251269309540

1

Rittal TS 8

658 mm

150 mm

57 mm

□□□□ □□

□□ □□ □□

□□ :

658 mm


800 mm

635 mm

2 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 2



KDR-ESR-TS8-800-43080

EAN

□□□□ □□

43080

4251269309618

1

Rittal TS 8

658 mm

100 mm

44 mm

□□□□ □□

□□ □□ □□

□□ :

658 mm

800 mm


635 mm

3 × KEL-U 24 / KEL-


QUICK 24, 1 × KEL-

U 16 / KEL-QUICK

16



KDR-ESR-TS8-1000-43074



EAN

□□□□ □□

43074

4251269309557

1

Rittal TS 8

858 mm

150 mm

57 mm

□□□□ □□

□□ □□□ □□

□□ :

858 mm

1.000 mm


835 mm

4 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 1

KDR-ESR-TS8-1000-43075



EAN

□□□□ □□

43075

4251269309564

1

Rittal TS 8

858 mm

150 mm

57 mm

□□□□ □□

□□ □□□ □□

□□ :

858 mm

1.000 mm


835 mm

3 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 2

KDR-ESR-TS8-1000-43076



EAN

□□□□ □□

43076

4251269309571

1

Rittal TS 8

420 mm

150 mm

57 mm

□□□□ □□

□□ □□□ □□

□□ :

420 mm

1.000 mm


398 mm

1 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 1

KDR-ESR-TS8-1000-43077



EAN

□□□□ □□

43077

4251269309588

1

Rittal TS 8

420 mm

150 mm

57 mm

□□□□ □□

□□ □□□ □□

□□ :

420 mm

1.000 mm


398 mm

1 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 2

KDR-ESR-TS8-1000-43081



EAN

□□□□ □□

43081

4251269309625

1

Rittal TS 8

858 mm

100 mm

44 mm

□□□□ □□

□□ □□□ □□

□□ :

858 mm


1.000 mm

835 mm

5 × KEL-U 24 / KEL-

QUICK 24

KDR-ESR-TS8-1000-43082



EAN

□□□□ □□

43082

4251269309632

1

Rittal TS 8

420 mm

100 mm

44 mm

□□□□ □□

□□ □□□ □□

□□ :

420 mm

1.000 mm

398 mm

2 × KEL-U 24 / KEL-

QUICK 24

KDR-ESR-TS8-1200-43078

EAN

□□□□ □□

43078

4251269309595

1

Rittal TS 8

518 mm

150 mm

57 mm

□□□□ □□

□□ □□□ □□

□□ :

518 mm


1.200 mm

495 mm

2 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 1



KDR-ESR-TS8-1200-43083

EAN

□□□□ □□

43083

4251269309649

1

Rittal TS 8

518 mm

100 mm

44 mm

□□□□ □□

□□ □□□ □□

□□ :


518 mm

1.200 mm

495 mm

3 × KEL-U 24 / KEL-

QUICK 24



KDR-ESR-TS8-1200-43084

EAN

□□□□ □□

43084

4251269309656

1

Rittal TS 8

518 mm

150 mm

57 mm

□□□□ □□

□□ □□□ □□

□□ :

518 mm


1.200 mm

495 mm


1 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 2



KDR-ESR-HW-600 + □□□ □□□□



EAN

□□□□□ □□

44520

4251269324543

1

Häwa H390 / H395

427 mm

136 mm

56 mm

□□□□ □□

□□ □□□ □□

□□ :

427 mm


600 mm

392 mm

2 × KEL-U 24 / KEL-

QUICK 24

KDR-ESR-HW-800 + □□□ □□□□



EAN

□□□□□ □□

44521

4251269324550

1

Häwa H390 / H395

627 mm

136 mm

59 mm

□□□□ □□

□□ □□□ □□

□□ :

627 mm


800 mm

592 mm

3 × KEL-U 24 / KEL-

QUICK 24

KDR-ESR-HW-800



EAN

□□□□□ □□

44522

4251269324567

1

Häwa H390 / H395

627 mm

133 mm

70 mm

□□□□ □□

□□ □□□ □□

□□ :

627 mm

800 mm


592 mm

2 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 1

KDR-ESR-HW-1000 + □□□ □□□□



EAN

□□□□□ □□

44523

4251269324574

1

Häwa H390 / H395

827 mm

136 mm

56 mm

□□□□ □□

□□ □□□ □□

□□ :

827 mm


1.000 mm

792 mm

4 × KEL-U 24 / KEL-

QUICK 24

KDR-ESR-HW-1200 + □□□ □□□□



EAN

□□□□□ □□

44524

4251269324581

1

Häwa H390 / H395

1.027 mm

136 mm

56 mm

□□□□ □□

□□ □□□ □□

□□ :

1.027 mm


1.200 mm

992 mm

5 × KEL-U 24 / KEL-

QUICK 24

KDR-ESR-HW-1200-1



EAN

□□□□□ □□

44526

4251269324604

1

Häwa H390 / H395

1.027 mm

133 mm

70 mm

□□□□ □□

□□ □□□ □□

□□ :

1.027 mm

1.200 mm


992 mm

4 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 1

KDR-ESR-HW-1200-1



EAN

□□□□ □□

44525

4251269324598

1

Häwa H390 / H395

1.027 mm

133 mm

70 mm

□□□□ □□

□□ □□ □□

□□ :

1.027 mm

1.200 mm


992 mm

4 × KEL-U 24 / KEL-

QUICK 24, 1 × KEL-

JUMBO 2

KDR-ESR-HG2-600-43250



EAN

□□□□ □□

43250

4251269317033

1

nVent Hoffman

PROLINE G2

432 mm

131,5 mm

62,3 mm

□□□□ □□

□□ □□ □□

□□ :

432 mm

600 mm

368 mm

1 × KEL-U 16 / KEL-

QUICK 16, 1 × KEL-

JUMBO 2

KDR-ESR-HG2-600-43251



EAN

□□□□ □□

43251

4251269317040

1

nVent Hoffman

PROLINE G2

432 mm

81 mm

52,8 mm

□□□□ □□

□□ □□ □□

□□ :

432 mm


600 mm

368 mm

2 × KEL-U 24 / KEL-

QUICK 24

KDR-ESR-HG2-800-43252



EAN

□□□□□ □□

43252

4251269317057

1

**nVent Hoffman
PROLINE G2**

632 mm

131,5 mm

45 mm

□□□□ □□

□□ □□□ □□

□□ :

632 mm

800 mm

568 mm

**2 × KEL-U 24 / KEL-
QUICK 24, 1 × KEL-
JUMBO 2**

KDR-ESR-HG2-800-43253



EAN

□□□□□ □□

43253

4251269317064

1

**nVent Hoffman
PROLINE G2**

632 mm

81 mm

52,8 mm

□□□□ □□

□□ □□□ □□

□□ :


632 mm

800 mm

568 mm

**3 × KEL-U 24 / KEL-
QUICK 24**

KDR-ESR-HG2-1000-43254



EAN

□□□□□ □□

43254

4251269317071

1

**nVent Hoffman
PROLINE G2**

832 mm

131,5 mm

41,3 mm

□□□□ □□

□□ □□□ □□

□□ :

832 mm

1.000 mm

768 mm

**3 × KEL-U 24 / KEL-
QUICK 24, 1 × KEL-
JUMBO 2**

KDR-ESR-HG2-1000-43255

EAN

□□□□ □□

43255

4251269317088

1

nVent Hoffman

PROLINE G2

832 mm

81 mm

52,8 mm

□□□□ □□

□□ □□□ □□


□□ :

832 mm

1.000 mm

768 mm

4 × KEL-U 24 / KEL-
QUICK 24



icotek[®]
smart cable management