

# SF|ZL 39 30000

30000 35mm H DIN 39 30000



SF|ZL 39 30000 35 mm DIN 39 H 30000.

SF|ZL 39 30000 30000 30000 30000.

SF|ZL 39 30000 35 mm DIN 39 H 30000 30000 30000.



39 30000

■ EN 62444 30000 30000 30000

■ 30000 30000

■ 30000 30000

■ 30000 30000 30000 30000

■ 30000 30000 30000

30000  
30000 30000

UL94-V0, 30000

-40 C° to 140 C°

30000 30000

30000

30000

30000 30000 30000

SF|ZL 39

EAN

30000

32351 30000

4251269301 30000

247

10

3


38,5 mm

51,7 mm


16 mm

11,4 mm

3




SF|ZL 60




EAN 32352 11,4 mm  
4251269301 4  
254  
10  
4  
59,5 mm  
51,7 mm  
16 mm

SF|ZL 70



EAN 32353 11,4 mm  
4251269301 5  
261  
10  
5  
69,1 mm  
51,7 mm  
16 mm


SF|ZL 87



EAN 32354 11,4 mm  
4251269301 6  
278  
10  
6  
86,5 mm  
51,7 mm  
16 mm


SF|ZL 103

EAN 32355 11,4 mm  
4251269301 7  
285  
10  
7  
102,5 mm  
51,7 mm  
16 mm




SF|ZL 121

EAN 32356 11,4 mm  
4251269301 8  
292  
10  
8  
121 mm  
51,7 mm  
16 mm



SF|ZL 140

EAN 32357 11,4 mm  
4251269301 9  
308  
10  
9  
139,5 mm  
51,7 mm  
16 mm



EAN 32358 11,4 mm  
4251269301 12  
315  
10  
12  
180 mm  
51,7 mm  
16 mm

